

Zirkon® pH Process

Kuntze sensors stand for quality and are manufactured by our own production. Made in Germany.

Zirkon® pH Process is a high-quality sensor with good price / performance ratio and can be used in a wide variety of process and waste water applications.

Advantages

- > Low maintenance due to gel filling
- > Long service life
- > Non-clogging platinum junction
- > Good price / performance ratio

Measuring Parameter

- > pH-Value: pH 0...14

Process Conditions

- > Max. Pressure: < 145 psi at 68 °F
- > Min. Conductivity: > 150 µS/cm
- > Temperature: 25...160 °F

Mechanical Construction


- > Junction: Platinum
- > Shaft Material: Glass
- > Shaft Length: 120 mm
- > Shaft Diameter: 12 mm
- > Electrode Material: AH Glass Ball
- > Reference System: Ag / AgCl / Tepox Gel
- > Process Connection: S8 Plug (Swivel G 13.5)
- > Electrical Connection: 2 Poles
- > Temperature Sensor: None

Article Number: S24132150K
Order Code: 203032100

Zirkon® pH Process



Mechanical Drawing





Kuntze Instruments GmbH

Robert-Bosch-Str. 7a
40688 Meerbusch
Germany

+49 2150 70660
info@kuntze.com
www.kuntze.com